




A.



13-17-1



Q-15118 ©

Q

FAMILY

5/16"

IMPERIAL
(APPROX)

.315"

IMPERIAL
(EXACT)

8 mm

SOLID
PLAIN
SQUARE
BAR


A. 13-10044-125 Forged steel

DD 3/4" x 5/16" (20 mm x 8 mm or .7874" x .3149") Plain Flat Bar
↑ 7-1/2" ↔ 21-1/4" ± 4.40 lbs

B. 13-17-1 Forged steel Bolognese rosette

■ Approx. 5/16" (8 mm or .3149")
Ø 9-13/16" ± 1.94 lbs

B.




* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS


LOS ANGELES • DALLAS • BALTIMORE

NEW

A
FAMILY
1/2"
IMPERIAL
(APPROX)
.472"
IMPERIAL
(EXACT)
12 mm
SOLID
PLAIN
SQUARE
BAR




A-36002 ©




A-30460 ©

NEW



A-36035 ©

NEW




A-30456 ©


* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



NEW




NEW




A
FAMILY
1 1/2"
IMPERIAL
(APPROX)
.472"
IMPERIAL
(EXACT)
12 mm
SOLID
PLAIN
SQUARE
BAR

NEW




NEW



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE





A. 13-33024-516 Forged steel



A 1/2" (12 mm or .472") Plain Square Bar
 ↑ 26" ↔ 20-1/16" ± 19.60 lbs



* In almost all instances, our 45-1/4" long K nig Eisen balusters will reach and penetrate the stair tread.



A
FAMILY
1/2"
IMPERIAL
(APPROX)
.472"
IMPERIAL
(EXACT)
12 mm
SOLID
PLAIN
SQUARE
BAR



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

NEW


A
FAMILY

1/2"
IMPERIAL
(APPROX)


.472"
IMPERIAL
(EXACT)

12 mm


SOLID
PLAIN
SQUARE
BAR




NEW





NEW





NEW



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



A
FAMILY
1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN SQUARE BAR



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.




KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE




A
FAMILY
1/2"
IMPERIAL
(APPROX)
.472"
IMPERIAL
(EXACT)
12 mm
SOLID
PLAIN
SQUARE
BAR



ITEMS 13-33013-520 13-48-4



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



A
FAMILY
1 1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN SQUARE BAR

* In almost all instances, our 45-1 1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE



NEW**AA**

FAMILY

1/2" x 1/4"

IMPERIAL
(APPROX)

.472" x .236"


IMPERIAL
(EXACT)12 x 6
mm mmSOLID
PLAIN
FLAT
BAR**A. 13-33042-604** Forged steel

AA 1/2" x 1/4" (12 mm x 6 mm or .4724" x .2362") Flat Bar
 ↑ 35-7/16" ↔ 12-3/16" ± 6.37 lbs


B. 13-11216-218 Forged steel

IT 5/8" x 5/16 (16 mm x 8 mm or .6299" x .3149") Fluted Flat Bar
 ↑ 14-3/16" ↔ 32-1/4" ± 12.79 lbs

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



F
FAMILY
1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
COLD ROLLED HAMMERED 4 CORNERS



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE



FAMILY

1/2"

IMPERIAL
(APPROX)

.472"

IMPERIAL
(EXACT)

12
mm

FLUTED
SQUARE
BAR



A.



A. 13-52-2 Forged steel

R 1/2" (12 mm or .4724") Fluted Square Bar
↑ 45-1/4" ↔ 9-1/4" ± 5.98 lbs

13-05000-048 13-31072-357 13-05000-050 13-31072-359

13-2004-4


13-04000-102

13-118-H1


13-31072-372

13-52-2

13-31072-353



R-15524K ©



R-15523K ©



ITEMS

45-8832-34

13-181-11

13-181-10

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



A. 13-94-F5 Forged steel

W 1/2" (12 mm or .4724") Hand Hammered Round Bar
 ↑ 38-9/16" ↔ 15-3/4" ± 6.17 lbs

B. 13-94-F6 Forged steel


W 1/2" (12 mm or .4724") Hand Hammered Round Bar
 ↑ 38-9/16" ↔ 15-3/4" ± 6.17 lbs

C. 13-94-F3 Forged steel



W 1/2" (12 mm or .4724") Hand Hammered Round Bar
 ↑ 32-3/4" ↔ 19-1/8" ± 5.48 lbs

D. 13-94-F4 Forged steel

W 1/2" (12 mm or .4724") Hand Hammered Round Bar
 ↑ 32-3/4" ↔ 19-1/8" ± 5.48 lbs



W
FAMILY
1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
HAND HAMMERED ROUND BAR



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

Z

FAMILY

1/2"

IMPERIAL
(APPROX)


.472"

IMPERIAL
(EXACT)

12 mm


SOLID
PLAIN
ROUND
BAR

NEW




Z-15615 ©

NEW



Z-36084 ©

NEW




Z-36091 ©

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



NEW



B-36057 ©

B

FAMILY

9/16"

IMPERIAL
(APPROX)


.551"

IMPERIAL
(EXACT)

**14
mm**


SOLID
PLAIN
SQUARE
BAR

NEW



B-36075 ©

NEW



B-30461 ©



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

NEW

B
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
SOLID PLAIN SQUARE BAR




A. 13-33025-522 Forged steel

B 9/16" (14 mm or .5512") Plain Square Bar


↑ 19-11/16" ↔ 39-3/8" ⇄ 27.49 lbs

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.




B. 13-88060-811 Forged steel

BB 9/16" x 1/4" (14 mm x 7 mm) Solid Plain Flat Bar
 ↑ 39-3/8" ↔ 39-3/8" ± 34 lbs




B-36011 ©

B
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
SOLID PLAIN SQUARE BAR



B-36003 ©



B-36012 ©

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

B

FAMILY

9/16"




 IMPERIAL
(APPROX)

.551"



 IMPERIAL
(EXACT)

 14
mm

 SOLID
PLAIN
SQUARE
BAR

NEW

NEW

NEW



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



B
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
SOLID PLAIN SQUARE BAR



ITEMS 13-88073-912 10-146



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE


L
FAMILY

9/16"
IMPERIAL
(APPROX)

.551"
IMPERIAL
(EXACT)


14 mm

HOT
ROLLED
HAMMERED
4 CORNERS



ITEMS 45-9627 45-8832-34 13-45351-000

* In almost all instances, our 45-1/4" long Köenig Eisen balusters will reach and penetrate the stair tread.



L
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
HOT ROLLED HAMMERED 4 CORNERS

A. 13-45073-000 Forged steel

L 9/16" (14 mm or .5512") Hot Rolled Hammered 4 Corners
 † 45-1/4" ↔ 9/16" ± 3.90 lbs

B. 13-45073-070 Forged steel

L 9/16" (14 mm or .5512") Hot Rolled Hammered 4 Corners
 † 45-1/4" ↔ 7-3/4" ± 6.40 lbs

C. 13-597-3 Forged steel

L 9/16" (14 mm or .5512") Hot Rolled Hammered 4 Corners
 † 45-1/4" ↔ 1-1/4" ± 3.92 lbs

A.

B.

C.







* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

NEW


- Y**
FAMILY
- 9/16"**
IMPERIAL
(APPROX)
- .551"**
IMPERIAL
(EXACT)
- 14 mm**
SOLID
PLAIN
ROUND
BAR




* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



NEW





NEW



C	FAMILY
5/8"	IMPERIAL (APPROX)
.630"	IMPERIAL (EXACT)
16 mm	SOLID PLAIN SQUARE BAR

NEW




* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.


KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE


NEW




NEW



NEW




NEW




* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



NEW




NEW




C
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
SOLID PLAIN SQUARE BAR

NEW



NEW



* In almost all instances, our 45-1 1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS


LOS ANGELES • DALLAS • BALTIMORE


FAMILY


IMPERIAL (APPROX)

IMPERIAL (EXACT)


SOLID PLAIN SQUARE BAR



C -70007 ©




C -70006 ©



C -70005 ©

* In almost all instances, our 45-1/4" long Köenig Eisen balusters will reach and penetrate the stair tread.



NEW

CT
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
STEEL SQUARE TUBING



A. 13-33372-492 Forged steel

CT 5/8" (16 mm or .6299") 16 GA Plain Square Tubing
 † 35-7/16" ↔ 8-1/4" ± 6.22 lbs

B. 13-45372-111 Forged steel


CT 5/8" (16 mm or .6299") 16 GA Plain Square Tubing
 † 45-1/4" ↔ 1-3/4" ± 2.23 lbs

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

CH
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
16 GA SQUARE TUBING




ITEMS

45-671-34


13-45351-000

* In almost all instances, our 45-1/4" long Köenig Eisen balusters will reach and penetrate the stair tread.



NEW

IT	FAMILY
IT	5/8" x 5/16"
	IMPERIAL
	(APPROX)
IT	.630"x.315"
	IMPERIAL
	(EXACT)
16 x 8	
mm	
FLUTED	
FLAT	
BAR	



13-116-F5
Hot-stamped steel ball
Ø 1-15/16" ±1.13 lbs



A. 13-681-2 Forged steel

IT 5/8" x 5/16 (16 mm x 8 mm or .6299" x .3149") Fluted Flat Bar
↑ 23-5/8" ↔ 10-5/8" ±6.39 lbs


* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

NEW

U3
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
SOLID PLAIN ROUND BAR

**A. 13-07015-204** Forged steel

U3 5/8" (16 mm or .6299") Plain Round Bar
 ↓ 39-3/8" ↔ 2-9/16" ± 3.88 lbs

B. 13-07015-203 Forged steel

U3 5/8" (16 mm or .6299") Plain Round Bar
 ↓ 39-3/8" ↔ 2-9/16" ± 4.01 lbs


C. 13-40015-509 Forged steel

U3 5/8" (16 mm or .6299") Plain Round Bar
 ↓ 39-3/8" ↔ 2" ± 4.06 lbs

D. 13-40015-510 Forged steel


U3 5/8" (16 mm or .6299") Plain Round Bar
 ↓ 39-3/8" ↔ 2" ± 3.79 lbs

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



D
FAMILY
3/4"
IMPERIAL (APPROX)
.787"
IMPERIAL (EXACT)
20 mm
SOLID PLAIN SQUARE BAR

NEW




NEW

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.


KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

NEW




D-36081 ©




D-70001 ©


NEW



D-36049 ©





* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



DD
FAMILY
3/4" x 5/16"
IMPERIAL (APPROX)
.787" x .315"
IMPERIAL (EXACT)
20 x 8 mm mm
SOLID PLAIN FLAT BAR

A. 13-33044-535 Forged steel
DD 3/4" x 5/16" (20 mm x 8 mm or .7874" x .3149") Plain Flat Bar
 † 32-1/16" ↔ 20-7/8" ± 28.22 lbs



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.