





Call to receive our
FREE 2009 Product Catalog
with hundreds of new items!

Q
FAMILY
5/16"
IMPERIAL (APPROX)
.315"
IMPERIAL (EXACT)
8 mm
SOLID PLAIN SQUARE BAR



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

A
FAMILY


1/2"
IMPERIAL
(APPROX)

.472"
IMPERIAL
(EXACT)


12 mm

SOLID
PLAIN
SQUARE
BAR

NEW



NEW



ITEMS

13-10371-256


13-45372-567

13-33043-530


* In almost all instances, our 45-1/4" long K nig Eisen balusters will reach and penetrate the stair tread.




NEW




NEW



NEW



NEW



A
FAMILY
1½"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN SQUARE BAR

* In almost all instances, our 45-1¼" long König Eisen balusters will reach and penetrate the stair tread.


KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

A
FAMILY
1/2"
IMPERIAL
(APPROX)
.472"
IMPERIAL
(EXACT)
12 mm
SOLID
PLAIN
SQUARE
BAR


NEW

A-35023 ©




NEW

A-35025 ©




NEW

A-35035 ©



NEW


A-35041 ©



* In almost all instances, our 45-1/4" long K nig Eisen balusters will reach and penetrate the stair tread.



STAIRCASES




A
FAMILY
1½"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN SQUARE BAR

* In almost all instances, our 45-1¼" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE


A
FAMILY
1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN SQUARE BAR



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



STAIRCASES



A
FAMILY
1 1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN SQUARE BAR

* In almost all instances, our 45-1 1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE





A
FAMILY

1/2"
IMPERIAL
(APPROX)


.472"
IMPERIAL
(EXACT)

12 mm

SOLID
PLAIN
SQUARE
BAR



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



A
FAMILY
1 1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN SQUARE BAR

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE





A
FAMILY

1/2"
IMPERIAL
(APPROX)


.472"
IMPERIAL
(EXACT)

12 mm

SOLID
PLAIN
SQUARE
BAR



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



A
FAMILY
1 1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN SQUARE BAR

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE





A
FAMILY

1/2"
IMPERIAL
(APPROX)


.472"
IMPERIAL
(EXACT)

12 mm

SOLID
PLAIN
SQUARE
BAR



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



A
FAMILY
1 1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN SQUARE BAR

* In almost all instances, our 45-1 1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE


A
FAMILY

1/2"
IMPERIAL
(APPROX)


.472"
IMPERIAL
(EXACT)

12 mm

SOLID
PLAIN
SQUARE
BAR



* In almost all instances, our 45-1/4" long K nig Eisen balusters will reach and penetrate the stair tread.



A
FAMILY
1 1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN SQUARE BAR




* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.


KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

AA-10743 ©




AA-10749 ©



ITEMS 13-2009-2 13-33383-608 13-47025-643

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



F
FAMILY

1 1/2"
IMPERIAL
(APPROX)

.472"
IMPERIAL
(EXACT)

12 mm

COLD
ROLLED
HAMMERED
4 CORNERS

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

F

FAMILY


 $\frac{1}{2}$ "

 IMPERIAL
(APPROX)

.472"

 IMPERIAL
(EXACT)


 12
mm

 COLD
ROLLED
HAMMERED
4 CORNERS


* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



STAIRCASES



F
FAMILY
1 1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
COLD ROLLED HAMMERED 4 CORNERS

* In almost all instances, our 45-1 1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

F

FAMILY


 $\frac{1}{2}$ "

 IMPERIAL
(APPROX)


.472"

 IMPERIAL
(EXACT)

 12
mm

 COLD
ROLLED
HAMMERED
4 CORNERS


* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

F

FAMILY


 $\frac{1}{2}$ "

 IMPERIAL
(APPROX)

.472"

 IMPERIAL
(EXACT)

 12
mm

 COLD
ROLLED
HAMMERED
4 CORNERS



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.




B.



F-10921 ©



F-10952 ©



F
FAMILY

1/2"
IMPERIAL
(APPROX)

.472"
IMPERIAL
(EXACT)

12 mm

COLD
ROLLED
HAMMERED
4 CORNERS

A. 13-45072-531 Forged steel

F 1/2" (12 mm or .4724") Cold Rolled Hammered 4 Corners

↑ 45-1/2" → 4-3/4" ± 5.15 lbs

B. 13-112-7 Forged steel

ES 1" (25 mm or .9843") Hot Hammered 4 Sides

↑ 47-1/4" → 1-7/8" ± 13.27 lbs

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

G

FAMILY


 $\frac{1}{2}$ "

 IMPERIAL
(APPROX)


 $\frac{1}{4}$ "

 IMPERIAL
(EXACT)

 12
mm

 HAND
HAMMERED
SQUARE
BAR


* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



R
FAMILY

1/2"
IMPERIAL
(APPROX)

.472"
IMPERIAL
(EXACT)

12 mm

FLUTED
SQUARE
BAR

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

R - 80006 ©




1/2"
IMPERIAL
(APPROX)

.472"
IMPERIAL
(EXACT)

12 mm

FLUTED
SQUARE
BAR

**A. 13-00086-403**

Forged steel lambs tongue

↓ 11-1/4" ↔ 1-15/16" wide ± 1/4" thick ± 3.09 lbs


B. 13-52-2 Forged steel**R** 1/2" (12 mm or .4724") Fluted Square Bar

↓ 45-1/4" ↔ 9-1/4" ± 5.98 lbs

C. 13-118-H1 Forged steel**R** 1/2" (12 mm or .4724") Fluted Square Bar

↓ 45-1/4" ± 2.73 lbs

* In almost all instances, our 45-1/4" long K nig Eisen balusters will reach and penetrate the stair tread.



W
FAMILY

1 1/2"
IMPERIAL
(APPROX)

.472"
IMPERIAL
(EXACT)


12 mm

HAND
HAMMERED
ROUND
BAR

* In almost all instances, our 45-1 1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE



A.




A. 13-497-1 Forged steel

W 1/2" (12 mm or .4724") Hand Hammered Round Bar
[some items are 10 mm (.3937"), please see item description]
↑ 45-1/4" ↔ 1" ⇄ 2.49 lbs

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



X - 10660 ©



X
FAMILY

1/2"
IMPERIAL
(APPROX)

.472"
IMPERIAL
(EXACT)

12 mm

HOT
HAMMERED
ROUND
BAR



B. 13-497-2 Forged steel
W 1/2" (12 mm or .4724") Hand Hammered Round Bar
 [some items are 10 mm (.3937"), please see item description]
 † 45-1/4" ↔ 1" ±2.69 lbs

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

Z

FAMILY

1/2"


IMPERIAL
(APPROX)

.472"


IMPERIAL
(EXACT)

12 mm

SOLID
PLAIN
ROUND
BAR



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



Z
FAMILY
1 1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN ROUND BAR

* In almost all instances, our 45-1 1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE





Z
FAMILY

1/2"
IMPERIAL
(APPROX)

.472"
IMPERIAL
(EXACT)

12 mm


SOLID
PLAIN
ROUND
BAR



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



Z - 10502 ©



Z
FAMILY

1/2"
IMPERIAL
(APPROX)

.472"
IMPERIAL
(EXACT)

12 mm

SOLID
PLAIN
ROUND
BAR

A.



B.



C.



A. 13-1068-1 Forged steel

Z 1/2" (12 mm or .4724") Plain Round Bar
↑ 45-1/4" ↔ 6-3/4" ⇄ 5.4 lbs

B. 13-45013-980 Forged steel

Z 1/2" (12 mm or .4724") Plain Round Bar
↑ 45-1/4" ↔ 6-3/4" ⇄ 4.43 lbs

C. 81-375 Cast Iron

Fits true 5/8" (16mm) Round
↑ 1-1/8" ↔ 1-3/8"sq ⇄ .225 lbs

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

B

FAMILY


9/16"

 IMPERIAL
(APPROX)


.551"

 IMPERIAL
(EXACT)

 14
mm

 SOLID
PLAIN
SQUARE
BAR


* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



B
FAMILY

9/16"
IMPERIAL
(APPROX)

.551"
IMPERIAL
(EXACT)

14
mm

SOLID
PLAIN
SQUARE
BAR

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

B

FAMILY

9/16"IMPERIAL
(APPROX)**.551"**IMPERIAL
(EXACT)**14
mm**SOLID
PLAIN
SQUARE
BAR

ITEMS

13-60-3

13-45024-000




ITEMS

13-33013-520

13-48-4

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



B
FAMILY

9/16"
IMPERIAL
(APPROX)

.551"
IMPERIAL
(EXACT)

14
mm

SOLID
PLAIN
SQUARE
BAR



A. t Forged steel

B 9/16" (14 mm or .5512") Plain Square Bar
↑ 45-1/4" ↔ 7-7/8" ± 7.74 lbs

B. 13-134-G3 Forged steel

B 9/16" (14 mm or .5512") Plain Square Bar
↑ 45-1/4" ↔ 2-7/16" ± 3.90 lbs

C. 13-00303-425 Molded steel lambs tongue

↑ 31-1/2" ↔ 2-1/4" ± 11.9 lbs

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

B

FAMILY


9/16"

 IMPERIAL
(APPROX)


.551"

 IMPERIAL
(EXACT)

 14
mm

 SOLID
PLAIN
SQUARE
BAR


* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



B
FAMILY

9/16"
IMPERIAL
(APPROX)

.551"
IMPERIAL
(EXACT)

**14
mm**

SOLID
PLAIN
SQUARE
BAR

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

B

FAMILY





9/16"

 IMPERIAL
(APPROX)




.551"

 IMPERIAL
(EXACT)

 14
mm

 SOLID
PLAIN
SQUARE
BAR


* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



B
FAMILY

9/16"
IMPERIAL
(APPROX)

.551"
IMPERIAL
(EXACT)

14
mm


SOLID
PLAIN
SQUARE
BAR

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

BB FAMILY
9/16" x 5/16"
IMPERIAL (APPROX)
.551" x .278"
IMPERIAL (EXACT)
14 x 7 mm mm
SOLID PLAIN FLAT BAR




ITEMS 13-48-2 13-53-3 13-33042-604 13-88042-980


* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



K -10747 ©



K -10748 ©



K
FAMILY

9/16"
IMPERIAL
(APPROX)

.551"
IMPERIAL
(EXACT)

14 mm

HAND
HAMMERED
TAPERED
SQ BAR



ITEMS 13-65-8 13-45025-938 13-33043-531 13-02000-119 45-8832

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

L

FAMILY

9 1/16"


IMPERIAL
(APPROX)

.551"


IMPERIAL
(EXACT)

14 mm

HOT
ROLLED
HAMMERED
4 CORNERS



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.






L
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
HOT ROLLED HAMMERED 4 CORNERS

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

L
FAMILY
9/16"
IMPERIAL
(APPROX)
.551"
IMPERIAL
(EXACT)
14 mm
HOT
ROLLED
HAMMERED
4 CORNERS



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



NEW

M

FAMILY

9/16"


IMPERIAL
(APPROX)

.551"

IMPERIAL
(EXACT)

**14
mm**

HOT
HAND
HAMMERED
4 SIDES



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE


O
FAMILY

9/16"
IMPERIAL
(APPROX)


.551"
IMPERIAL
(EXACT)

14 mm

MACHINE
SCORED
4
SIDES



* In almost all instances, our 45-1/4" long K nig Eisen balusters will reach and penetrate the stair tread.



P
FAMILY

9/16"
IMPERIAL
(APPROX)

.551"
IMPERIAL
(EXACT)

14 mm

MACHINE
SCORED
4 CORNERS
& 4 SIDES


A.



B.



C.



A. 13-45192-000 Forged steel
P 9/16" (14 mm or .5512") Machine Hammered
on 4 Corners & 2 Sides
↑ 45-1/4" ↔ 3.53 lbs

B. 13-45192-591 Forged steel
P 9/16" (14 mm or .5512") Machine Hammered
on 4 Corners & 2 Sides
↑ 45-1/4" ↔ 2-7/16" ↔ 6.91 lbs

C. 13-33192-049 Forged steel
P 9/16" (14 mm or .5512") Machine Hammered
on 4 Corners & 2 Sides
↑ 43-5/16" ↔ 20-7/8" ↔ 22.49 lbs

**We offer a wide variety of rosettes.
Add the rosette of your choice!**

13-116-A5



13-94-B5



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE




S
FAMILY

9/16"
IMPERIAL
(APPROX)


.551"
IMPERIAL
(EXACT)

14 mm

FLUTED
SQUARE
BAR



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



Y
FAMILY

9/16"
IMPERIAL
(APPROX)

.551"
IMPERIAL
(EXACT)

14 mm

SOLID
PLAIN
ROUND
BAR



A. 13-33014-526 Forged steel (Level)
Y 9/16" (14 mm or .5512") Plain Round Bar
 ‡31-7/8" ↔10" ±9.90 lbs

B. 13-33014-527 Forged steel (Pitched)
Y 9/16" (14 mm or .5512") Plain Round Bar
 ‡34-5/8" ↔10" ±10.80 lbs





C. 13-114-B13 Forged steel volute
 ‡5-11/16" ↔11-7/16" ±4.96 lbs

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.


KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

- Y**
FAMILY
- 9/16"**
IMPERIAL
(APPROX)
- .551"**
IMPERIAL
(EXACT)
- 14 mm**
SOLID
PLAIN
ROUND
BAR



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.




Y
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
SOLID PLAIN ROUND BAR

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.


KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

- Y**
FAMILY
- 9 1/16"**
IMPERIAL
(APPROX)
- .551"**
IMPERIAL
(EXACT)
- 14 mm**
SOLID
PLAIN
ROUND
BAR



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



J
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
HOT HAMMERED ROUND BAR




ITEMS 13-45371-222 13-45371-111

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.


KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

C
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
SOLID PLAIN SQUARE BAR



* In almost all instances, our 45-1/4" long K nig Eisen balusters will reach and penetrate the stair tread.



C
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
SOLID PLAIN SQUARE BAR


* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

C
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
SOLID PLAIN SQUARE BAR


NEW




* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.




C - 10953 ©



C-50304B ©



C - 80002 ©




C
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
SOLID PLAIN SQUARE BAR

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.


KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

CC FAMILY
5/8" x 5/16"
IMPERIAL (APPROX)
.630" x .315"
IMPERIAL (EXACT)
16 x 8 mm mm
SOLID PLAIN FLAT BAR



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



CC
FAMILY

5/8" x 5/16"

IMPERIAL
(APPROX)

.630" x .315"

IMPERIAL
(EXACT)


16 x 8
mm x mm

SOLID
PLAIN
FLAT
BAR

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS


LOS ANGELES • DALLAS • BALTIMORE



* In almost all instances, our 45-1/4" long K nig Eisen balusters will reach and penetrate the stair tread.



STAIRCASES



	FAMILY
	5/8" x 5/16"
	IMPERIAL (APPROX)
	.630" x .315"
	IMPERIAL (EXACT)
	16 x 8 mm
	FLUTED FLAT BAR


* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

U
FAMILY
5/8"
IMPERIAL
(APPROX)
.630"
IMPERIAL
(EXACT)
16 mm
HAND
HAMMERED
ROUND
BAR

A.



A. 13-45115-592 & 13-45115-600 Forged steel
 U 5/8" (16 mm or .6299") Hot Hammered Round Bar
 ↑ 45-1/4" ↔ 8-11/16" ⚖ 8 lbs


©

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.

ITEMS	13-45115-600
13-45115-595	13-45115-592



U3-10770 ©



U3-80008 ©



U3

FAMILY

5/8"

IMPERIAL
(APPROX)

.630"

IMPERIAL
(EXACT)

16 mm

SOLID

PLAIN

ROUND

BAR



ITEMS

13-98-1

13-91500-306

Call to receive our
FREE 2009 Product Catalog
with hundreds of new items!



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE


D
FAMILY

3/4"
IMPERIAL
(APPROX)

.787"
IMPERIAL
(EXACT)

**20
mm**


SOLID
PLAIN
SQUARE
BAR

**A. 13-33027-374** Forged steel

□ 3/4" (20 mm or .7874") Plain Square Bar
 ↑ 33-7/16" ↔ 11-13/16" ± 20.39 lbs

B. 13-45027-000 Forged steel


□ 3/4" (20 mm or .7874") Plain Square Bar
 ↑ 45-1/4" ↔ 3/4" ± 7.91 lbs



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



NEW



DD
FAMILY

3/4" x 5/16"

IMPERIAL
(APPROX)

.787" x .315"

IMPERIAL
(EXACT)

20 x 8
mm mm

SOLID
PLAIN
FLAT
BAR


* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

DD-10804 ©

DD
FAMILY
3/4" x 5/16"
IMPERIAL (APPROX)
.787" x .315"
IMPERIAL (EXACT)
20 x 8 mm mm
SOLID PLAIN FLAT BAR




A. 13-33044-177 Forged steel


DD 3/4" x 5/16" (20 mm x 8 mm or .7874" x .3149") Plain Flat Bar
 ↓ 36" ↔ 6-5/16" ± 5.95 lbs

B. 13-33044-176 Forged steel

DD 3/4" x 5/16" (20 mm x 8 mm or .7874" x .3149") Plain Flat Bar
 ↓ 36" ↔ 3-1/8" ± 2.91 lbs



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



EE
FAMILY
3/4" x 1/4"
IMPERIAL (APPROX)
.787" x .236"
IMPERIAL (EXACT)
20 x 6 mm
SMOOTH
FLAT
BAR




* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

KING ARCHITECTURAL METALS

LOS ANGELES • DALLAS • BALTIMORE

EC
FAMILY
1" x 5/16"
IMPERIAL (APPROX)
.984" x .315"
IMPERIAL (EXACT)
25 x 8 mm mm
SOLID PLAIN FLAT BAR



A. 13-33044-534 Forged steel

DD 3/4" x 5/16" (20 mm x 8 mm or .7874" x .3149") Plain Flat Bar
 ↑ 31-7/8" ↔ 10" ⇄ 11.07 lbs

B. 13-45051-912 Forged steel

EC 1" x 5/16" (25 mm x 8 mm or .9843" x .315") Plain Flat Bar
 ↑ 45-1/4" ↔ 1" ⇄ 3.13 lbs

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.